

HIGH-SPEED DOOR

VertiGO Double Slim

Compact double curtain



VertiGO Double Slim

**A fast, robust door
with rapid stacking.**

Opening and closing speed > 0.8 m/s

Wind resistance > Class 2

Opening > up to 8000 × 8000 mm

It is the ideal door for all indoor and outdoor environments that call for fast, frequent traffic through large openings. The double curtain with air chamber provides thermal and acoustic insulation of indoor environments, while the truss, mechanically guided in the uprights, ensures very quiet operation, keeping the structure the same size as the VertiGO single-curtain door. A perfect alternative to rigid closures, with the plus of a high operating frequency.



In its largest version

Main features

01

Double curtain with air chamber

Thermal and acoustic insulation of the indoor environments.

02

Truss guided in the uprights

The truss, mechanically guided in the uprights, ensures very quiet operation.

03

Same size as VertiGO monotelo

The structure keeps the same dimensions as the VertiGO single-curtain door.

04

An alternative to rigid closures

A perfect alternative to rigid closures, with the plus of a high operating frequency.

SPEED

0.8 m/s

opening and closing

WIND

Class 2

per UNI EN 12424-1

MAX OPENING

8000 × 8000

max width × height





Enter the GLG world

Sign up or log in

With your GLG account you can download brochures and complete data sheets.

Scan the QR code

